CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 2700K CCT / 80CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 83 |
| Rg | 97 |
| Ra | 82.1 |
| R1 | 80.6 |
| R2 | 90.7 |
| R3 | 96.5 |
| R4 | 80.2 |
| R5 | 80.6 |
| R6 | 89.5 |
| R7 | 81.7 |
| R8 | 56.9 |
| R9 | 5.6 |
| R10 | 79.1 |
| R11 | 80.0 |
| R12 | 72.9 |
| R13 | 82.9 |
| R14 | 98.8 |
| R15 | 72.5 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 3000K CCT / 80CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 84 |
| Rg | 97 |
| Ra | 84.2 |
| R1 | 82.9 |
| R2 | 91.1 |
| R3 | 97.1 |
| R4 | 83.3 |
| R5 | 83.0 |
| R6 | 89.3 |
| R7 | 84.6 |
| R8 | 62.5 |
| R9 | 13.8 |
| R10 | 79.6 |
| R11 | 83.5 |
| R12 | 71.5 |
| R13 | 84.8 |
| R14 | 98.8 |
| R15 | 75.4 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 3500K CCT / 80CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 84 |
| Rg | 97 |
| Ra | 84.3 |
| R1 | 83.0 |
| R2 | 90.2 |
| R3 | 95.9 |
| R4 | 83.7 |
| R5 | 82.9 |
| R6 | 87.1 |
| R7 | 86.3 |
| R8 | 65.4 |
| R9 | 15.5 |
| R10 | 76.9 |
| R11 | 83.3 |
| R12 | 66.7 |
| R13 | 84.7 |
| R14 | 97.7 |
| R15 | 76.4 |












LUCIFER LIGHTING COMPANY
[030117]
luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 4000K CCT / 80CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 83 |
| Rg | 96 |
| Ra | 83.6 |
| R1 | 82.1 |
| R2 | 88.9 |
| R3 | 94.0 |
| R4 | 83.0 |
| R5 | 81.9 |
| R6 | 84.5 |
| R7 | 87.3 |
| R8 | 66.9 |
| R9 | 13.7 |
| R10 | 73.4 |
| R11 | 81.9 |
| R12 | 61.5 |
| R13 | 83.7 |
| R14 | 96.6 |
| R15 | 76.1 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 5000K CCT / 80CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 82 |
| Rg | 95 |
| Ra | 84.0 |
| R1 | 82.5 |
| R2 | 89.1 |
| R3 | 93.0 |
| R4 | 83.5 |
| R5 | 82.9 |
| R6 | 84.3 |
| R7 | 87.5 |
| R8 | 68.8 |
| R9 | 12.9 |
| R10 | 73.5 |
| R11 | 82.6 |
| R12 | 63.1 |
| R13 | 84.3 |
| R14 | 96.3 |
| R15 | 77.2 |












LUCIFER LIGHTING COMPANY
[030117]
luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 6500K CCT / 80CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 82 |
| Rg | 95 |
| Ra | 83.9 |
| R1 | 82.5 |
| R2 | 88.2 |
| R3 | 90.5 |
| R4 | 83.6 |
| R5 | 82.7 |
| R6 | 82.4 |
| R7 | 89.2 |
| R8 | 72.5 |
| R9 | 14.8 |
| R10 | 70.6 |
| R11 | 82.5 |
| R12 | 58.5 |
| R13 | 84.3 |
| R14 | 95.0 |
| R15 | 78.2 |












LUCIFER LIGHTING COMPANY
[030117]
luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 2700K CCT / 90CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 91 |
| Rg | 100 |
| Ra | 92.7 |
| R1 | 92.8 |
| R2 | 95.8 |
| R3 | 97.2 |
| R4 | 92.8 |
| R5 | 92.3 |
| R6 | 94.9 |
| R7 | 92.7 |
| R8 | 83.0 |
| R9 | 62.3 |
| R10 | 89.2 |
| R11 | 93.3 |
| R12 | 82.9 |
| R13 | 93.5 |
| R14 | 97.6 |
| R15 | 89.3 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 3000K CCT / 90CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 91 |
| Rg | 100 |
| Ra | 93.3 |
| R1 | 93.6 |
| R2 | 95.5 |
| R3 | 95.8 |
| R4 | 93.8 |
| R5 | 92.9 |
| R6 | 93.8 |
| R7 | 94.4 |
| R8 | 86.4 |
| R9 | 67.8 |
| R10 | 88.4 |
| R11 | 94.0 |
| R12 | 79.4 |
| R13 | 93.9 |
| R14 | 97.0 |
| R15 | 91.0 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 3500K CCT / 90CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 90 |
| Rg | 100 |
| Ra | 92.7 |
| R1 | 92.9 |
| R2 | 94.6 |
| R3 | 94.7 |
| R4 | 93.1 |
| R5 | 92.0 |
| R6 | 91.9 |
| R7 | 95.0 |
| R8 | 87.2 |
| R9 | 67.7 |
| R10 | 86.2 |
| R11 | 92.8 |
| R12 | 74.4 |
| R13 | 93.2 |
| R14 | 96.5 |
| R15 | 90.7 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 4000K CCT / 90CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 89 |
| Rg | 99 |
| Ra | 91.9 |
| R1 | 91.9 |
| R2 | 94.2 |
| R3 | 94.6 |
| R4 | 91.8 |
| R5 | 90.8 |
| R6 | 90.7 |
| R7 | 95.0 |
| R8 | 86.6 |
| R9 | 65.0 |
| R10 | 85.0 |
| R11 | 91.1 |
| R12 | 69.9 |
| R13 | 92.4 |
| R14 | 96.7 |
| R15 | 89.7 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 2700K CCT / 97CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 94 |
| Rg | 100 |
| Ra | 98.2 |
| R1 | 99.6 |
| R2 | 99.6 |
| R3 | 96.9 |
| R4 | 99.6 |
| R5 | 99.1 |
| R6 | 98.0 |
| R7 | 97.6 |
| R8 | 95.4 |
| R9 | 89.2 |
| R10 | 97.3 |
| R11 | 97.8 |
| R12 | 87.8 |
| R13 | 99.9 |
| R14 | 97.2 |
| R15 | 98.0 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 3000K CCT / 97CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 94 |
| Rg | 100 |
| Ra | 98.1 |
| R1 | 99.3 |
| R2 | 99.1 |
| R3 | 96.3 |
| R4 | 99.4 |
| R5 | 98.4 |
| R6 | 97.6 |
| R7 | 98.3 |
| R8 | 96.6 |
| R9 | 91.2 |
| R10 | 96.1 |
| R11 | 98.3 |
| R12 | 83.7 |
| R13 | 99.6 |
| R14 | 97.0 |
| R15 | 98.0 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 3500K CCT / 97CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 92 |
| Rg | 99 |
| Ra | 97.7 |
| R1 | 98.9 |
| R2 | 99.5 |
| R3 | 97.2 |
| R4 | 97.5 |
| R5 | 97.2 |
| R6 | 97.2 |
| R7 | 97.5 |
| R8 | 96.7 |
| R9 | 93.6 |
| R10 | 96.6 |
| R11 | 98.3 |
| R12 | 78.9 |
| R13 | 99.4 |
| R14 | 97.6 |
| R15 | 97.3 |












LUCIFER LIGHTING COMPANY

[030117]

luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967

CITIZEN

# CITIZEN TM-30-15 COLOR DATA
## 4000K CCT / 97CRI

Color Distortion Icon



Reference Source  Test Source

| | |
|---|---|
| Rf | 91 |
| Rg | 99 |
| Ra | 97.7 |
| R1 | 98.9 |
| R2 | 99.5 |
| R3 | 97.2 |
| R4 | 97.5 |
| R5 | 97.2 |
| R6 | 97.2 |
| R7 | 97.5 |
| R8 | 96.7 |
| R9 | 93.6 |
| R10 | 96.6 |
| R11 | 98.3 |
| R12 | 78.9 |
| R13 | 99.4 |
| R14 | 97.6 |
| R15 | 97.3 |












LUCIFER LIGHTING COMPANY
[030117]
luciferlighting.com

©2017 Lucifer Lighting Company
As part of its policy of continuous research and product development, the company reserves the right to change or withdraw specifications without prior notice.

3750 IH35 North
San Antonio, Texas 78219
[PH] +1-210-227-7329
[FAX] +1-210-227-4967